



# COUNTY OF NASSAU DEPARTMENT OF PUBLIC WORKS PERMIT DIVISION 1194 PROSPECT AVENUE, 1<sup>ST</sup> FL WESTBURY, NY 11590-2723

To: Permittee

From: Nassau County Department of Public Works, Permit Division

Subject: Overweight/Oversized Vehicle Hauling Permit

Please be advised when your vehicle exceeds 12' Wide, 75' in Length, 14' in Height or exceeds 200,000 lbs. you need a police escort and must contact the Nassau County Highway Patrol prior to beginning your trip.

Nassau County Highway Patrol: 516-573-8210 and 516-571-8231.

Please be advised when your vehicle exceeds 14 feet in Height you must also contact Sheila Dukacz from Nassau County Traffic Signal Construction and Maintenance prior to beginning your trip.

Sheila Dukacz, Nassau County Traffic Engineering: 516-572-0465 x20958.

#### NASSAU COUNTY DEPARTMENT OF PUBLIC WORKS APPLICATION FOR OVERWEIGHT/OVERSIZED VEHICLE HAULING PERMIT

#### (IMPORTANT REQUIREMENTS-ATTACHED)

APPLICATION FEE: \$150.00		DATE:		
		PERMIT N	VO.:	
Application for a permit to move a veh the jurisdiction of NASSAU COUNTY 385, of the Vehicle & Traffic Law.				
PERMITTEE:		PHONE NO.:		
ADDRESS:				
Requests permission to move:				
<u>VEHICLE</u>	<u>WEIGHT</u>	<u>LICENSE NO</u> .	YEAR & MAKE	
TRUCK:				
TRACTOR:				
TRAILER:				
LOAD:				
TOTAL WEIGHT:	-	-		
	<u>WIDTH</u>	<u>LENGTH</u>	<u>HEIGHT</u>	
OVERALL DIMENSIONS: TOTAL NUMBER OF WHEELS:				
VEHICLE IS TO BE MOVED OVER	R THE FOLLOWIN	G NASSAU COUNTY MA	AINTAINED ROADS:	
APPLICANT CERTIFIES THAT THER WEIGHT SO THAT IT COMES DOWN MAXIMUM DIMENSIONS REQUIRED	TO THE REQUIRED	80,000 LBS. GROSS WEIG	HT OR WITHIN THE	
By:Signature of Authorized Re		Title:	<u> </u>	
Signature of Authorized Re	enresentative			

NOTE: Fill out the attached sketch with proper dimensions and maximum axle loading as indicated in the instructions and specify proposed routing if required. Please make check payable to Nassau County Treasurer.

RETURN CERTIFICATE OF INSURANCE, APPLICATION (PAGE 1) & SKETCH (PAGE 6) TO:

Nassau County Dept. of Public Works, 1194 Prospect Avenue, Westbury, NY 11590 ATTN: Permit Division, Rm. 102, Phone No.516-571-6840 Fax No. 516-571-9364

#### REQUIREMENTS FOR HAULING PERMITS

- 1. A TRAFFIC SIGNAL CONTRACTOR, APPROVED BY NASSAU COUNTY DEPT. OF PUBLIC WORKS, MUST PERFORM ALL NECESSARY WORK ON THE COUNTY OWNED SIGNALS.
- 2. THE CENTER LANE OF THE EAST BRIDGE (NORTHBOUND) LONG BEACH BRIDGE, IS TO BE USED WITH NO OTHER TRAFFIC ALLOWED ON THE BRIDGE DURING THE CROSSING AND MAXIMUM OF TEN (10) MILES PER HOUR CRAWL SPEED IS TO BE MAINTAINED WITH NO SHIFTING OF GEARS OR SUDDEN STOPS OR STARTS.
- 3. CLEARANCES MUST BE VERIFIED ON ALL BRIDGES, THIS IS TO BE DONE BY CHECKING THE NEW YORK STATE DEPARTMENT OF TRANSPORTATION (NYSDOT) WEBSITE LISTING ALL BRIDGES WITH RESTRICTIONS ON THEM. ALL LOADS WILL COMPLY WITH NYSDOT POSTINGS.

  NO VEHICLE EXCEEDING 20 TONS WILL BE PERMITTED TO CROSS THE BAYVILLE BRIDGE OR THE BARNUM ISLAND BRIDGE.
- 4. MOVEMENTS ARE TO BE MADE DURING HOURS SPECIFIED ONLY. WHEN WEATHER AND ROAD CONDITIONS ARE FAVORABLE. NO MOVEMENT TO BE MADE ON SATURDAYS, SUNDAYS OR HOLIDAYS (HOLIDAYS TO INCLUDE FROM 5:00 PM ON THE EVE OF THE HOLIDAY TO 10:00 AM ON THE DAY FOLLOWING THE HOLIDAY) UNLESS SPECIFICALLY STATED ON THE PERMIT.
- 5. THIS APPLICATION COVERS THE MOVEMENT OVER COUNTY ROADS ONLY. THEREFORE, PERMISSION TO USE STATE, CITY, TOWN, AND/OR VILLAGE THOROUGHFARES MUST BE OBTAINED FROM THE PROPER AUTHORITIES.
- 6. OVERHEAD WIRES, CABLES, SIGNAL/TRAFFIC LIGHTS, TREE LIMBS OR ANY OVERHEAD STRUCTURE MUST NOT BE DISTURBED WITHOUT FIRST OBTAINING WRITTEN PERMISSION FROM THE OWNERS THEROF. COPY OF WRITTEN PERMISSION MUST ACCOMPANY THIS APPLICATION.
- 7. UPON APPLICATION FOR PERMIT TO MOVE EQUIPMENT OR STRUCTURES OVER 17 FT. HIGH, IT WILL BE NECESSARY TO HAVE A LETTER OF APPROVAL FROM NASSAU COUNTY TRAFFIC SIGNAL UNIT, THE LOCAL ELECTRICAL UTILITY (LIPA/PSEG-LONG ISLAND) AND THE LOCAL TELEPHONE UTILITY (VERIZON) INDICATING THAT THEY HAVE SURVEYED THE ROUTE YOU PROPOSE TO TAKE AND THERE WILL BE NO INTERFERENCE WITH THEIR AERIAL EQUIPMENT.
- 8. **INSURANCE:** APPLICANT MUST PROVIDE AT THEIR OWN EXPENSE PUBLIC LIABILITY & PROPERTY DAMAGE INSURANCE PROTECTING AS THE NAMED INSURED: THE COUNTY OF NASSAU, PLUS ANY MUNICIPALITY, ON ROUTE OF MOVEMENT, TO THE FULL LIMITS OF LIABILITY AS INDICATED: PERSONAL INJURY \$1,000,000 & PROPERY DAMAGE \$500,000.

MOTOR VEHICLE CLAUSE TO READ "LIABILITY OF INSURANCE FOR PERMITS (PLURAL) ISSUED BY THE COMMISSIONER OF PUBLIC WORKS FOR OPERATION ON ROADS UNDER THE JURISISDICTION OF NASSAU COUNTY OF ALL VEHICLES OWNED OR OPERATED BY "NAME OF PERMITTEE" IN EXCESS OF LEGAL WEIGHT, LENGTH, WIDTH, ETC. AS DESCRIBED IN ARTICLE 10, SECTION 385, OF THE VEHICLE TRAFFIC LAW AS AMENDED. (DO NOT PARTICULARIZE AS TO VEHICLE).

POLICY SHOULD COVER A TWELVE (12) MONTH PERIOD AND INCLUDE A TEN (10) DAY NOTICE OF CANCELLATION CLAUSE. PERMITS WILL BE RENEWED ON A SIX (6) MONTH BASIS UP TO THE DAY BEFORE EXPIRATION OF THE POLICY.

ANY LIABILITY INCURRED, AS THE RESULT OF THE PERMIT WHEN ISSUED SHALL REST SOLELY UPON THE PERMITTEE. THE PERMITTEE AGREES TO HOLD THE COUNTY OF NASSAU HARMLESS, AND DEFEND ANY ACTION BROUGHT AGAINST THE COUNTY OR IN THE OPTION OF THE COUNTY, PAY THE COSTS OF SUCH DEFENSE, AND TO PAY ANY AWARDS OR JUDGEMENTS MADE AGAINST THE COUNTY CONNECTED IN ANY WAY TO THE USE OF THIS PERMIT HEREIN, BY ANY COURT OR JUDICIAL BODY OR QUASI JUSICIAL BODY, TOGETHER WITH ALL COSTS, INTERESTS AND EXPENSES.

### A. MOTOR VEHICLE TRFFIC LAW- Article 10, section 385, restricts you to the following maximum limits

Vehicle Width:

Up to 8' 0" inclusive of load Up to 13' 6" inclusive of load

Vehicle Height: Single:

Up to 35' 0" inclusive of load & bumpers

Combined Length:

Up to 55' 0" (48' Trailer) inclusive of load & bumpers

Combined Length:

Up to 60' 0" (45' Trailer) inclusive of load & bumpers

Weight:

Up to 80,000 lbs. inclusive of load

NASSAU COUNTY REQUIRES YOU TO OBTAIN PERMITS FOR VEHICLES WHICH EXCEED THE ABOVE RESTRICTIONS. WE HAVE TWO (2) TYPES OF PERMITS:

#### B. STANDARD TYPE PERMIT:

Permit duration up to one (1) year

Vehicle Width:

8' 0" to 12' 0"

Vehicle Height:

13' 6" to 14' 0"

Single Length:

35' 0" to 50' 0"

Combined Length:

50' 0" to 75' 0"

(Tractor & trailer)

Weight: if over 80,000 lbs.

#### C. **SPECIAL TYPE PERMIT**: (Proposed routing is required)

Permit duration up to six (6) months

Vehicle Width:

Over 12' 0"

Vehicle Height:

Over 14' 0"

Single Length:

Over 50' 0"

Combined Length:

Over 75' 0"

(Tractor & trailer)

Weight: if over 80,000 lbs.

NOTE: NASSAU COUNTY BOARD OF SUPERVISORS ORDINANCE NO. 176-2015, AUTHORISES THE COMMISSIONER OF PUBLIC WORKIS TO CHARGE A NON-REFUNDABLE APPLICATION FEE OF ONE HUNDRED FIFTY DOLLARS (\$150.00) FOR THE PROCESSING OF EACH APPLICATION FOR OVERWEIGHT OR OVERSIZED VEHICLES USING COUNTY ROADS.

## LEGAL LOADING GUIDE LINES TRACTOR-TRAILER COMBO

(10", IN. TIRE SIZE)

AXLE SPACING ALLOWABLE ALL GROUP AXLE GROUP AXLE COAD PER		NO. OF	AXLE	MAX.	MAX.				
LOAD PER   AXLE GROUP				ALLOWABLE	ALLOWABLE				
**************************************				LOAD PER	AXLE GROUP				
1 ***** 32,000 LBS. ************************************									
**************************************	****	*****	*********	********	**********				
4'-0" 32,000 64,000 2 5'-0" 32,000 64,000 6'-0" 32,000 64,000 6'-0" 32,000 64,000 **********************************		1		32,000 LBS.	32,000 LBS.				
4'-6' 32,000 64,000  5'-6' 32,000 64,000  *********************************	****	***************************************							
2 5'-0'' 32,000 64,000  *********************************			4'-0''	32,000	64,000				
\$\color{\c			4'-6''	32,000	64,000				
\$'-6' 32,000 64,000  *********************************		2	5'-0"	32,000	64,000				
**************************************		_	5'-6"	32,000					
4'-0'' 25,000 75,000  3 5'-0'' 26,000 78,000  6'-0'' 27,000 81,000  *********************************			6'-0"	32,000	64,000				
3 5'-0" 26,000 78,000 5'-6" 26,500 79,500 6'-0" 27,000 81,000  *********************************	****	******	******	*******	*********				
3 5'-0" 26,000 78,000			4'-0"	25,000	75,000				
3 5'-0" 26,000 78,000 5'-6" 26,500 79,500 6'-0" 27,000 81,000  *********************************			4'-6"	25,500	76,500				
5'-6'' 26,500 79,500 6'-0'' 27,000 81,000  *********************************		3	5'-0"		78,000				
6'-0'' 27,000 81,000  *********************************		,	- ·		79,500				
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			6'-0"	27,000					
4'-6'' 20,500 82,000  4 5'-0'' 21,000 84,000  6'-0'' 22,000 88,000  ********************************	****	******	*******	**********	**********				
4 '-6'' 20,500 82,000 5'-0'' 21,000 84,000 6'-0'' 22,000 88,000 *********************************			4'-0"	20,000	80,000				
4 5'-0" 21,000 84,000 6'-0" 22,000 88,000  ********************************			4'-6"	-	82,000				
5'-6'' 6'-0'' 22,000 88,000  ***************************		Δ		· · · · · · · · · · · · · · · · · · ·	84,000				
6'-0'' 22,000 88,000  ********************************		7	* -						
**************************************			<del>-</del>						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	****	********			***********				
4'-6" 17,500 87,500 5'-0" 18,000 90,000 5'-6" 18,500 92,500 6'-0" 19,000 95,000  *********************************					85,000				
5 5'-0" 18,000 90,000 5'-6" 18,500 92,500 6'-0" 19,000 95,000  *********************************			• -		•				
5'-6'' 18,500 92,500 6'-0'' 19,000 95,000  *********************************		5							
6'-0" 19,000 95,000  *********************************		J	<del>-</del>						
**************************************			-						
4'-0'' 15,000 90,000 4'-6'' 15,500 93,000 6 5'-0'' 16,000 96,000 6'-0'' 17,000 102,000 **********************************	****	******	<del>-</del>	•					
4'-6'' 15,500 93,000 6 5'-0'' 16,000 96,000 5'-6'' 16,500 99,000 6'-0'' 17,000 102,000  ********************************	.,			15,000	90,000				
6 5'-0'' 16,000 96,000 5'-6'' 16,500 99,000 6'-0'' 17,000 102,000  ********************************					•				
5'-6'' 16,500 99,000 6'-0'' 17,000 102,000  ********************************		6		•	•				
6'-0''  *********************************		U	=		· · · · · · · · · · · · · · · · · · ·				
**************************************									
4'-0"     13,500     94,500       4'-6"     14,000     98,000       5'-0"     14,500     101,500       5'-6"     15,000     105,000       6'-0"     15,500     108,500	****	******	********	*******	**********				
4'-6"     14,000     98,000       7     5'-0"     14,500     101,500       5'-6"     15,000     105,000       6'-0"     15,500     108,500	de de de de de								
7 5'-0" 14,500 101,500 5'-6" 15,000 105,000 6'-0" 15,500 108,500									
5'-6" 15,000 105,000 6'-0" 15,500 108,500		7		The state of the s	· · · · · · · · · · · · · · · · · · ·				
6'-0" 15,500 108,500	/	1		•	· · · · · · · · · · · · · · · · · · ·				
			<del>-</del>	•					
	****	******	*********	*******					

#### LEGAL LOADING GUIDE LINES SELF-PROPELLED TRUCK CRANE

(14" MIN. TIRE SIZE)

#### **TWO-AXLE CRANES:**

Maximum Axle Load

45,000 lbs.

Maximum Gross Vehicle Weight

(Minimum Axle Spacing at 12ft.)

90,000 lbs.

#### **FOUR-AXLE CRANES:**

Must meet the following restrictions:

FRONT TO REAR AXLE GROUP LOAD RATIO	MAX. ALLOWABLE G.V.W.		
LOAD KATIO	23 ft. wheel base	27 ft. wheelbase	
1 to 2.0	104,000 lbs.	110,000 lbs.	
1 to 1.5	110,000 lbs.	116,000 lbs.	
1 to 1.0	116,000 lbs.	122,000 lbs.	

Maximum load on any single axle (in group)

40,000 lbs.

Maximum axle group loading (front or rear)

72,000 lbs.

Front to rear axle group load ratio greater than 1 to 2.0 will not be permitted.

#### **SIX-AXLE CRANES:**

Must meet all the restrictions for the FOUR-AXLE CRANES

SHOW DIMENSIONS BETWEEN CENTER LINE OF ALL AXLES TO THE NEAREST ONE (1) INCH. SHOW DIMENSIONS BETWEEN CENTER LINE OF WHEEL TO CENTER OF WHEEL (TRACK WIDTH). AT EACH AXLE LOCATION INDICATE THE MAXIMUM LOAD TO BE SUPPORTED BE THAT AXLE.

